



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Foam.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Lorencic GmbH Nfg. & Co KG

Street: Puchstraße 208
Place: A-8055 Graz

Telephone: +43 (0) 316 / 47 25 64 32 Telefax: +43 (0) 316 / 47 25 64 78

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49(0)2534 6441185

Otto-Hahn-Str. 36 www.tge-consult.de

D-48161 Münster

1.4. Emergency telephone Poison Control Centre Vienna: +43 (0) 1 406 43 43

<u>number:</u>

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Hazard categories: Aerosol: Aerosol 1

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Resp. Sens. 1 Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Harmful if inhaled.
Causes skin irritation.
Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

4,4'-methylenediphenyl diisocyanate, isomers and homologues

Signal word: Danger



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 2 of 16

Pictograms:







Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.

Procautionary statements

H373

recautionary staten	nents
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international

May cause damage to organs through prolonged or repeated exposure.

Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The mixture contains the following substances fulfilling the PBT-/vPvB criteria according to REACH Annex XIII: Decamethylcyclopentasiloxane, Dodecamethylcyclohexasiloxane, Octamethylcyclotetrasiloxane

SECTION 3: Composition/information on ingredients

regulations.

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•			
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues				
		615-005-01-6			
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373				
1244733-77-4	Reaction products of phosphoryl tri	chloride and 2-methyloxirane		10 - < 20 %	
	807-935-0		01-2119486772-26		
	Acute Tox. 4; H302				
115-10-6	dimethyl ether				
	204-065-8	603-019-00-8	01-2119472128-37		



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 3 of 16

	Flam. Gas 1, Liquefied gas; H220 H280					
107-21-1	ethanediol; ethylene glycol					
	203-473-3 603-027-00-1 01-2119456816-28					
	Acute Tox. 4, STOT RE 2; H302 H373					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
9016-87-9		4,4'-methylenediphenyl diisocyanate, isomers and homologues	40 - < 60 %			
	l .	inhalation: LC50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg				
1244733-77-4	807-935-0	Reaction products of phosphoryl trichloride and 2-methyloxirane	10 - < 20 %			
	inhalation: LC50 = > 7 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = 632 mg/kg					
107-21-1	203-473-3	ethanediol; ethylene glycol				
	dermal: LD50 =	= >5000 mg/kg; oral: LD50 = 7712 mg/kg				

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.





according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 4 of 16

5.2. Special hazards arising from the substance or mixture

In use, may form flammable/explosive vapour-air mixture. Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). Hydrogen chloride (HCl). Phosphorus oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Ventilate affected area. Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Always close containers tightly after the removal of product.

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work.

Further information on handling

General protection and hygiene measures: refer to chapter 8



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 5 of 16

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking. Provide adequate ventilation.

Hints on joint storage

Do not store together with: Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Radioactive substances.

Infectious substances.

Further information on storage conditions

Recommended storage temperature: 10-30°C. Do not store at temperatures over: 50°C Note: Storage requirements for flammable aerosols.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
115-10-6	Dimethyl ether	400	766		TWA (8 h)	WEL
		500	958		STEL (15 min)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
-	Isocyanates, all (as -NCO) Except methyl isocyanate	-	0.02		TWA (8 h)	WEL
		-	0.07		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homolo	gues					
Consumer DN	EL, acute	inhalation	local	0,05 mg/m³			
Consumer DN	EL, long-term	inhalation	local	0,0025 mg/m ³			
Worker DNEL	, acute	inhalation	local	0,1 mg/m³			
Worker DNEL	, long-term	inhalation	local	0,05 mg/m³			
1244733-77- 4	Reaction products of phosphoryl trichloride and 2-methylox	rirane					
Worker DNEL	, long-term	inhalation	systemic	8,2 mg/m³			
Worker DNEL	, acute	inhalation	systemic	22,6 mg/m³			
Worker DNEL, long-term		dermal	systemic	2,91 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	1,45 mg/m³			
Consumer DNEL, acute		inhalation	systemic	5,6 mg/m³			
Consumer DNEL, long-term		dermal	systemic	1,04 mg/kg bw/day			



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 6 of 16

Consumer DNEL, long-term		oral	systemic	0,52 mg/kg bw/day	
Consumer DNI	EL, acute	oral	systemic	2 mg/kg bw/day	
115-10-6	dimethyl ether				
Consumer DNI	EL, long-term	inhalation	systemic	471 mg/m³	
Worker DNEL,	long-term	inhalation	systemic	1894 mg/m³	
107-21-1	ethanediol; ethylene glycol				
Worker DNEL,	long-term	dermal	systemic	106 mg/kg bw/day	
Worker DNEL, long-term		inhalation	local	35 mg/m³	
Consumer DNEL, long-term		dermal	systemic	53 mg/kg bw/day	
Consumer DNI	EL, long-term	inhalation	local	7 mg/m³	

PNEC values

CAS No	Substance					
Environmental	compartment	Value				
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues					
Freshwater		1 mg/l				
Freshwater (in	termittent releases)	10 mg/l				
Marine water		0,1 mg/l				
Micro-organism	ns in sewage treatment plants (STP)	1 mg/l				
Soil		1 mg/kg				
1244733-77- 4	Reaction products of phosphoryl trichloride and 2-methyloxirane					
Freshwater		0,32 mg/l				
Freshwater (in	termittent releases)	0,51 mg/l				
Marine water		0,032 mg/l				
Freshwater se	diment	11,5 mg/kg				
Marine sedime	nt	1,15 mg/kg				
Secondary poi	soning	11,6 mg/kg				
Micro-organism	ns in sewage treatment plants (STP)	19,1 mg/l				
Soil		0,34 mg/kg				
115-10-6	dimethyl ether	·				
Freshwater		0,155 mg/l				
Freshwater (in	termittent releases)	1,549 mg/l				
Marine water		0,016 mg/l				
Freshwater se	diment	0,681 mg/kg				
Marine sedime	ent	0,069 mg/kg				
Micro-organism	ns in sewage treatment plants (STP)	160 mg/l				
Soil		0,045 mg/kg				
107-21-1 ethanediol; ethylene glycol						
Freshwater 10 mg/l						
Freshwater (intermittent releases) 10 mg/l						
Marine water 1 mg/l						
Freshwater se	diment	37 mg/kg				
Marine sedime	ent	3,7 mg/kg				



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 7 of 16

Micro-organisms in sewage treatment plants (STP)	199,5 mg/l
Soil	1,53 mg/kg

8.2. Exposure controls











Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

Suitable material:

Butyl rubber. (0,5 mm)

Breakthrough time >480 min

penetration time (maximum wearing period): >160 min

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Insufficient ventilation

Suitable respiratory protective equipment: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

Use only respiratory protection equipment with CE-symbol including four digit test number.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: aerosol.
Colour: light yellow
Odour: characteristic

Changes in the physical state

Melting point/freezing point:

not determined

Boiling point or initial boiling point and

-12 (Aerosol propellants) °C

boiling range:

Sublimation point: not determined



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 8 of 16

Softening point: not determined

Flash point: -83 (Aerosol propellants) °C

Flammability

Gas: not determined

Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Lower explosion limits:

Upper explosion limits:

not determined

not determined

Auto-ignition temperature:

not determined

Self-ignition temperature

Gas: 460 (Aerosol propellants) °C Decomposition temperature: not determined

Oxidizing properties

none

pH-Value: not determined
Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Water solubility: not determined

Solubility in other solvents

not determined

Vapour pressure: not determined
Vapour pressure: < 3000 hPa

(at 50 °C)

Density (at 20 °C): 1,005 g/cm³
Relative vapour density: not determined

9.2. Other information

Other safety characteristics

Solvent separation test:

Solvent content:

not determined

not determined

Solid content:

not determined

Evaporation rate:

not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions. Refer to chapter 10.5.

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

Source



Safety Data Sheet

according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 9 of 16

Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

Alcohol. amines. Ammonia. strong alkalis. Strong acid. Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

In use, may form flammable/explosive vapour-air mixture. Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). Hydrogen chloride (HCl). Phosphorus oxides.

Dose

Further information

In use, may form flammable/explosive vapour-air mixture.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Harmful if inhaled.

ATEmix tested

	D000	Opooloo	Course
LD50, oral	3688,2 mg/kg		in analogy; MSDS extern.
LD50, dermal	>2000 mg/kg		in analogy; MSDS extern.
LC50, inhalation (aerosol) (4 h)	24,98 mg/l		in analogy; MSDS extern.

Species

ATEmix calculated

ATE (inhalation vapour) 18,76 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues						
	oral	LD50 mg/kg	> 2000				
	dermal	LD50 mg/kg	> 2000				
	inhalation (4 h) vapour	LC50	11 mg/l				
	inhalation aerosol	ATE	1,5 mg/l				
1244733-77- 4	Reaction products of phosphoryl trichloride and 2-methyloxirane						
	oral	LD50 mg/kg	632	Rat	Study report (1996)	other: This study was conducted accordin	
	dermal	LD50 mg/kg	>2000	Rat	Study report (1973)	Method: other: undiluted TS was applied	
	inhalation (4 h) vapour	LC50	> 7 mg/l	Rat	Study report (1990)	other: Guideline study performed to GLP	
107-21-1	ethanediol; ethylene glyd	col					
	oral	LD50 mg/kg	7712	Rat.	ECHA Dossier		
	dermal	LD50 mg/kg	>5000	Rabbit	RTECS		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 10 of 16

Sensitising effects

Contains isocyanates. May produce an allergic reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

May cause an allergic skin reaction. (4,4'-methylenediphenyl diisocyanate, isomers and homologues) The product is: sensitizing.

People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

4,4'-methylenediphenyl diisocyanate, isomers and homologues:

In vitro mutagenicity/genotoxicity: Method: EU Method B.13/14 (Mutagenicity - Reverse Mutation Test Using Bacteria) Result / evaluation: negative.; In vivo mutagenicity/genotoxicity Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test). Species: Rat. Result / evaluation: negative.; Carcinogenicity: Method: OECD 453. Species: Rat. Exposure duration: 2 years Result / evaluation: NOAEC = 0,2 mg/m³ Air.; Developmental toxicity/teratogenicity: Method: OECD 414. Species: Rat. Result / evaluation: NOAEC = 4 mg/m³ Air. Literature information: ECHA Dossier

isobutane:

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist. Reproductive toxicity: NOAEC = 3000 ppm (OECD Guideline 422) Developmental toxicity/teratogenicity: NOAEC = 9000 ppm (OECD Guideline 422) Literature information: ECHA dossier

propane:

In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) Result: negative.

Literature information: ECHA Dossier

Reproductive toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the

Reproduction / Developmental Toxicity Screening Test)

Species: Rat Exposure duration: 6 w. Results: NOAEC = 12000 ppm. Literature information: ECHA Dossier Developmental toxicity/teratogenicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)Species: Rat Results: NOAEC = 12000 ppm.

Literature information: ECHA Dossier

ethanediol; ethylene glycol:

In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) 1997; Result: negative. Literature information: ECHA Dossier; Carcinogenicity:; Method: oral. Species: Mouse. Exposure duration: 2

years. Result: NOAEL = 1500 mg/kg; Literature information: ECHA Dossier; Developmental

toxicity/teratogenicity: Method: -; Species: Mouse.; Exposure duration: 20 d. Result: NOAEC = 2500 mg/m3;

Literature information: ECHA Dossier

STOT-single exposure

May cause respiratory irritation. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

4,4'-methylenediphenyl diisocyanate, isomers and homologues:

Chronic inhalation toxicity: Method: OECD 453. Species: Rat. Exposure duration: 2 years Result / evaluation: NOAEC = 0,2 mg/m³ Air. Literature information: ECHA Dossier

isobutane:

Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test); Result: NOAEC = 4000 ppm; Literature information: ECHA dossier

propane:



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 11 of 16

Subacute inhalative toxicity: Method: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) Species: Rat Exposure duration: 6 w. Result: NOAEC = 94000 ppm (7214 mg/m3) Literature information: ECHA Dossier

ethanediol; ethylene glycol:

Subacute oral toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Species: Dog.; Exposure duration: 28 d. Results: NOAEL = 2200 mg/kg(bw)/day; Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
1244733-77- 4	Reaction products of phosphoryl trichloride and 2-methyloxirane							
	Acute fish toxicity	LC50	(51) mg/l	96 h	Pimephales promelas	Study report (1985)	Static bioassay: method not specified	
	Acute algae toxicity	ErC50	(82) mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2004)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	131 mg/l	48 h	Daphnia magna	Study report (1985)	Static bioassay: method not specified	
	Crustacea toxicity	NOEC	32 mg/l	21 d	Daphnia magna	Study report (1995)	other: OECD Test Guideline 202	
	Acute bacteria toxicity	(784 mg/	1)	3 h	Activated sludge	Study report (1990)	ISO 8192	
115-10-6	dimethyl ether							
	Acute fish toxicity	LC50 mg/l	> 4100	96 h	Poecilia reticulata	ECHA Dossier	NEN 6504 Water - Determination of	
	Acute algae toxicity	ErC50 mg/l	154,917	96 h	green algae	ECHA Dossier	Data generated using ECOSAR v1.00	
	Acute crustacea toxicity	EC50 mg/l	> 4400	48 h	Daphnia magna	ECHA Dossier	NEN6501: Water -Determination of	
107-21-1	ethanediol; ethylene glycol							
	Acute fish toxicity	LC50 mg/l	72860	96 h	Pimephales promelas	ECHA Dossier		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	ECHA Dossier		
	Acute bacteria toxicity	(>10000	mg/l)		Pseudomonas putida	ECHA Dossier		

12.2. Persistence and degradability

The product has not been tested.



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 12 of 16

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues			
	OECD 302	0%	28	
	Not easily bio-degradable (according to OECD-criteria).			
1244733-77- 4	Reaction products of phosphoryl trichloride and 2-methyloxirane			
	EU-method C.4 -D	14%	28	ECHA Dossier
	Product is not easily biodegradable.			
115-10-6	dimethyl ether			
	OECD 301D / EEC 92/69 annex V, C.4-E	5%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
107-21-1	ethanediol; ethylene glycol			
	OECD 301A / ISO 7827 / EEC 92/69 annex V, C.4-A	100%	28	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)		

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane	2,68
115-10-6	dimethyl ether	0,07
107-21-1	ethanediol; ethylene glycol	-1,36

BCF

CAS No	Chemical name	BCF	Species	Source
	Reaction products of phosphoryl trichloride and 2-methyloxirane	0,8 - 2,8	Cyprinus carpio	Japan Chemical Indus

12.4. Mobility in soil

Reaction products of phosphoryl trichloride and 2-methyloxirane, Mobility/evaluation: Koc (20° C): 324,2 ethanediol; ethylene glycol, Mobility/evaluation: Koc (20° C): 1

12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT-/vPvB criteria according to REACH Annex XIII: Decamethylcyclopentasiloxane, Dodecamethylcyclohexasiloxane, Octamethylcyclotetrasiloxane

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 13 of 16

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and 160504

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - used product

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150110

> PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1950 **AEROSOLS** 14.2. UN proper shipping name:

2 14.3. Transport hazard class(es): 14.4. Packing group: 2.1 Hazard label:



Classification code:

Special Provisions: 190 327 344 625

Limited quantity: 1 I Excepted quantity: E0 Transport category: 2 Tunnel restriction code: D

Inland waterways transport (ADN)

UN 1950 14.1. UN number or ID number: 14.2. UN proper shipping name: **AEROSOLS**

14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: 2.1



2

Classification code:

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: F0

Marine transport (IMDG)

UN 1950 14.1. UN number or ID number: **AEROSOLS** 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 2.1





according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 14 of 16

14.4. Packing group:

Hazard label: 2.1



Marine pollutant: NO

Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1950

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE

 14.3. Transport hazard class(es):
 2.1

 14.4. Packing group:

 Hazard label:
 2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 17,42%

2004/42/EC (VOC): 175,06 kg/m³ (175,06 g/L)
Information according to 2012/18/EU P3a FLAMMABLE AEROSOLS

(SEVESO III):

Additional information

Safety Data Sheet according to UK-REACH Regulation

Aerosol directive (75/324/EEC)

UK REACH Appendix XVII, No (mixture): 3, 40, 28

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].





according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 15 of 16

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Reaction products of phosphoryl trichloride and 2-methyloxirane

dimethyl ether

ethanediol; ethylene glycol

SECTION 16: Other information

Changes

Rev. 1.0; 21.02.2018 Initial release.

Rev. 2,0; 05.08.2021, Changes in chapter: 1-16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations



according to UK REACH Regulation

Pistolenschaum B1 LORENCIC LO-EPS-FILLING-FOAM 1K 750ml

Revision date: 05.08.2021 Product code: ZKR221GLO Page 16 of 16

VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to GB CLP Regulation

Trademodation for mixtures and dead standard method decorating to the trademod		
Classification	Classification procedure	
Aerosol 1; H222-H229	On basis of test data	
Acute Tox. 4; H332	Bridging principle "Aerosols"	
Skin Irrit. 2; H315	Bridging principle "Aerosols"	
Eye Irrit. 2; H319	Bridging principle "Aerosols"	
Resp. Sens. 1; H334	Bridging principle "Aerosols"	
Skin Sens. 1; H317	Bridging principle "Aerosols"	
Carc. 2; H351	Calculation method	
STOT SE 3; H335	Bridging principle "Aerosols"	
STOT RE 2; H373	Bridging principle "Aerosols"	

Relevant H and EUH statements (number and full text)

eievani n and Eu	n statements (number and run text)
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs (kidneys) through prolonged or repeated exposure if
	swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH204	Contains isocyanates. May produce an allergic reaction.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)