

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 1 of 18

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

The foam is used for the mounting of doors and windows, for the insulation and fixing of pipes, for filling holes and cracks, for the fixing of wall elements and tiles, and as thermal insulation material. Adheres well to most building materials used, with the exception of teflon, polyethylene and silicone surfaces. The cured foam is sensitive to UV light and direct sunlight.

**Uses advised against**

Any non-intended use.

**1.3. Details of the supplier of the safety data sheet**

Company name:	Lorencic GmbH Nfg. & Co KG	
Street:	Puchstraße 208	
Place:	A-8055 Graz	
Telephone:	+43 (0) 316 / 47 25 64 32	Telefax: +43 (0) 316 / 47 25 64 78
Responsible Department:	Dr. Gans-Eichler Chemieberatung GmbH Otto-Hahn-Str. 36 D-48161 Münster	e-mail: info@tge-consult.de Tel.: +49(0)2534 6441185 www.tge-consult.de

**1.4. Emergency telephone number:**

Poison Control Centre Vienna: +43 (0) 1 406 43 43

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Hazard categories:

Aerosol: Aerosol 1

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Reproductive toxicity: Lact.

Specific target organ toxicity - single exposure: STOT SE 3

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated.

Harmful if swallowed.

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause harm to breast-fed children.

May cause respiratory irritation.

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 2 of 18

May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

**2.2. Label elements****GB CLP Regulation****Hazard components for labelling**

4,4'-methylenediphenyl diisocyanate, isomers and homologues  
alkanes, C14-17, chloro; chlorinated paraffins, C14-17  
Glycerol, propoxylated  
Propane-1,2-diol, propoxylated

**Signal word:** Danger**Pictograms:****Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H362	May cause harm to breast-fed children.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.

**Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat. No Smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special labelling of certain mixtures**

EUH204	Contains isocyanates. May produce an allergic reaction. Persons already sensitised to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.
--------	--

**2.3. Other hazards**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.  
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 3 of 18

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues			20 - < 40 %
		615-005-01-6		
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373			
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17			10 - < 20 %
	287-477-0	602-095-00-X	01-2119519269-33	
	Lact., Aquatic Acute 1, Aquatic Chronic 1; H362 H400 H410 EUH066			
25791-96-2	Glycerol, propoxylated			5 - < 10 %
	500-044-5			
	Acute Tox. 4; H302			
25322-69-4	Propane-1,2-diol, propoxylated			5 - < 10 %
	500-039-8			
	Acute Tox. 4; H302			
115-10-6	dimethyl ether			5 - < 10 %
	204-065-8	603-019-00-8	01-2119472128-37	
	Flam. Gas 1, Liquefied gas; H220 H280			
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane			2,5 - < 5 %
	807-935-0		01-2119486772-26	
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
9016-87-9		4,4'-methylenediphenyl diisocyanate, isomers and homologues	20 - < 40 %
	inhalation: LC50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
85535-85-9	287-477-0	alkanes, C14-17, chloro; chlorinated paraffins, C14-17	10 - < 20 %
	inhalation: LC50 = > 48,17 mg/l (vapours); dermal: LD50 = > 2800 mg/kg; oral: LD50 = > 4000 mg/kg M acute; H400: M=1 M chron.; H410: M=1		
25791-96-2	500-044-5	Glycerol, propoxylated	5 - < 10 %
	oral: ATE = 500 mg/kg		
25322-69-4	500-039-8	Propane-1,2-diol, propoxylated	5 - < 10 %
	dermal: LD50 = >2000 mg/kg; oral: LD50 = 1000-2000 mg/kg		
1244733-77-4	807-935-0	Reaction products of phosphoryl trichloride and 2-methyloxirane	2,5 - < 5 %
	inhalation: LC50 = > 7 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = 632 mg/kg		

**Further Information**

Product does not contain listed SVHC substances &gt; 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 4 of 18

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.  
Apply cortisone spray at early stage.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

If swallowed, immediately drink: Water. Never give anything by mouth to an unconscious person or a person with cramps. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. alcohol resistant foam. Atomized water.

##### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Can be released in case of fire: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride (HCl). Phosphorus oxides

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains. In case of fire and/or explosion do not breathe fumes.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General measures

Ventilate affected area. Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

##### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

##### For emergency responders

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 5 of 18

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Explosion hazard. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### **For cleaning up**

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Wear suitable protective clothing. (See section 8.)

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking. Heating causes rise in pressure with risk of bursting.

##### **Advice on general occupational hygiene**

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Remove contaminated clothing immediately and dispose off safely. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored separately from work clothing.

##### **Further information on handling**

General protection and hygiene measures: refer to chapter 8

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking. Provide adequate ventilation.

##### **Hints on joint storage**

Do not store together with: Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Radioactive substances. Infectious substances.

##### **Further information on storage conditions**

Recommended storage temperature: 5-30°C. Do not store at temperatures over: 50°C

Unsuitable materials for Container: metal.

Protect against direct sunlight.

#### **7.3. Specific end use(s)**

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 6 of 18

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
115-10-6	Dimethyl ether	400	766		TWA (8 h)	WEL
		500	958		STEL (15 min)	WEL
-	Isocyanates, all (as -NCO) Except methyl isocyanate	-	0.02		TWA (8 h)	WEL
		-	0.07		STEL (15 min)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues			
Consumer DNEL, acute		inhalation	local	0,05 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	0,0025 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,1 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	0,05 mg/m <sup>3</sup>
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17			
Worker DNEL, long-term		inhalation	systemic	6,7 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	47,9 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	2 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	28,75 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,58 mg/kg bw/day
115-10-6	dimethyl ether			
Consumer DNEL, long-term		inhalation	systemic	471 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	systemic	1894 mg/m <sup>3</sup>
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane			
Worker DNEL, long-term		inhalation	systemic	8,2 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	22,6 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	2,91 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,45 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	5,6 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	1,04 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,52 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	2 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues	
Freshwater		1 mg/l

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 7 of 18

Freshwater (intermittent releases)	10 mg/l
Marine water	0,1 mg/l
Micro-organisms in sewage treatment plants (STP)	1 mg/l
Soil	1 mg/kg
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17
Freshwater	0,001 mg/l
Marine water	0,0002 mg/l
Freshwater sediment	13 mg/kg
Marine sediment	2,6 mg/kg
Secondary poisoning	10 mg/kg
Micro-organisms in sewage treatment plants (STP)	80 mg/l
Soil	11,9 mg/kg
115-10-6	dimethyl ether
Freshwater	0,155 mg/l
Freshwater (intermittent releases)	1,549 mg/l
Marine water	0,016 mg/l
Freshwater sediment	0,681 mg/kg
Marine sediment	0,069 mg/kg
Micro-organisms in sewage treatment plants (STP)	160 mg/l
Soil	0,045 mg/kg
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane
Freshwater	0,32 mg/l
Freshwater (intermittent releases)	0,51 mg/l
Marine water	0,032 mg/l
Freshwater sediment	11,5 mg/kg
Marine sediment	1,15 mg/kg
Secondary poisoning	11,6 mg/kg
Micro-organisms in sewage treatment plants (STP)	19,1 mg/l
Soil	0,34 mg/kg

#### 8.2. Exposure controls



##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

##### Individual protection measures, such as personal protective equipment

###### Eye/face protection

Wear eye/face protection. BS/EN 166

###### Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves.

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 8 of 18

Suitable material:

Butyl rubber. (0,5 mm)

Breakthrough time &gt;480 min

penetration time (maximum wearing period): &gt;160 min

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Insufficient ventilation

Suitable respiratory protective equipment: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	light yellow
Odour:	characteristic

#### Changes in the physical state

Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	-12 °C
Sublimation point:	not determined
Softening point:	not determined
Flash point:	-83 °C

#### Flammability

Gas:	not determined
------	----------------

#### Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined

#### Self-ignition temperature

Gas:	460 °C
Decomposition temperature:	not determined

#### Oxidizing properties

none

pH-Value:	not determined
-----------	----------------

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 9 of 18

Viscosity / dynamic: (at 20 °C)	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Water solubility:	Immiscible
<b>Solubility in other solvents</b> Acetone	
Vapour pressure: (at 20 °C)	not determined
Vapour pressure: (at 50 °C)	not determined
Density (at 20 °C):	0,964 g/cm <sup>3</sup>
Relative vapour density:	not determined

**9.2. Other information****Other safety characteristics**

Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	not determined
Evaporation rate:	not determined

**Further Information****SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.  
Refer to chapter 10.5.

**10.4. Conditions to avoid**

Keep away from heat.  
Ignition hazard.  
Heating causes rise in pressure with risk of bursting.

**10.5. Incompatible materials**

Alcohol. amines. Ammonia. strong alkalis. Strong acid. Oxidizing agents, strong. Reducing agents, strong.

**10.6. Hazardous decomposition products**Combustible. Vapours may form explosive mixtures with air. Can be released in case of fire: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride (HCl). Phosphorus oxides**Further information**

In use, may form flammable/explosive vapour-air mixture.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicocinetics, metabolism and distribution**

No information available.

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 10 of 18

**Acute toxicity**

Harmful if swallowed.

Harmful if inhaled.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues				
	oral	LD50 > 2000 mg/kg			
	dermal	LD50 > 2000 mg/kg			
	inhalation (4 h) vapour	LC50 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17				
	oral	LD50 > 4000 mg/kg	Rat	Toxicol. Appl. Pharmacol. 54: 514-525 (1)	Groups of at least 3 male and/or female
	dermal	LD50 > 2800 mg/kg	Rat	ECHA Dossier	standard acute method
	inhalation (1 h) vapour	LC50 > 48,17 mg/l	Rat	ECHA Dossier	standard acute method
25791-96-2	Glycerol, propoxylated				
	oral	ATE 500 mg/kg			
25322-69-4	Propane-1,2-diol, propoxylated				
	oral	LD50 1000-2000 mg/kg	Rat	MSDS extern.	
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier	
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane				
	oral	LD50 632 mg/kg	Rat	Study report (1996)	other: This study was conducted accordin
	dermal	LD50 >2000 mg/kg	Rat	Study report (1973)	Method: other: undiluted TS was applied
	inhalation (4 h) vapour	LC50 > 7 mg/l	Rat	Study report (1990)	other: Guideline study performed to GLP

**Irritation and corrosivity**

Causes skin irritation.

Causes serious eye irritation.

**Sensitising effects**

Contains isocyanates. May produce an allergic reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

May cause an allergic skin reaction. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

The product is: sensitizing.

People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Suspected of causing cancer. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

May cause harm to breast-fed children. (alkanes, C14-17, chloro; chlorinated paraffins, C14-17)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 11 of 18

Reproductive toxicity: Based on available data, the classification criteria are not met.

4,4'-methylenediphenyl diisocyanate, isomers and homologues:

In vitro mutagenicity/genotoxicity: Method: EU Method B.13/14 (Mutagenicity - Reverse Mutation Test Using Bacteria) Result / evaluation: negative. ; In vivo mutagenicity/genotoxicity Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test). Species: Rat. Result / evaluation: negative.; Carcinogenicity: Method: OECD 453. Species: Rat. Exposure duration: 2 years Result / evaluation: NOAEC = 0,2 mg/m<sup>3</sup> Air.; Developmental toxicity/teratogenicity: Method: OECD 414. Species: Rat. Result / evaluation: NOAEC = 4 mg/m<sup>3</sup> Air. Literature information: ECHA Dossier

alkanes, C14-17, chloro; chlorinated paraffins, C14-17:

In-vitro mutagenicity: Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay); Result: negative. Literature information: ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Species: Rat; Result: NOAEL = 100 mg/kg; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Species: Rat; Result: NOAEL = 5000 mg/kg; Literature information: ECHA Dossier

dimethyl ether:

Developmental toxicity/teratogenicity: NOAEL = 4000 ppm; Literature information: ECHA dossier

In-vitro mutagenicity:

Method: OECD Guideline 473 (In Vitro Mammalian Chromosomal Aberration Test)

Result: negative. Literature information: ECHA dossier

Carcinogenicity:

Method: (inhalative) OECD Guideline 453 (Combined Chronic Toxicity/Carcinogenicity Studies)

Species: Rat; Length of test: 2 years

Result: negative. Literature information: ECHA dossier

**STOT-single exposure**

May cause respiratory irritation. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (4,4'-methylenediphenyl diisocyanate, isomers and homologues)

4,4'-methylenediphenyl diisocyanate, isomers and homologues:

Chronic inhalation toxicity: Method: OECD 453. Species: Rat. Exposure duration: 2 years Result / evaluation: NOAEC = 0,2 mg/m<sup>3</sup> Air. Literature information: ECHA Dossier

alkanes, C14-17, chloro; chlorinated paraffins, C14-17:

Subchronic oral toxicity:

Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Species: Rat

Exposure duration: 90d

Result: NOAEL = 100 mg/kg

Literature information: ECHA Dossier

dimethyl ether:

Chronic inhalative toxicity: NOAEL = 47106 mg/m<sup>3</sup> (Rat)

OECD Guideline 452 (Chronic Toxicity Studies)

Literature information: ECHA dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No information available.

**11.2. Information on other hazards****Endocrine disrupting properties**

No information available.

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 12 of 18

#### SECTION 12: Ecological information

##### 12.1. Toxicity

EC 50: 1000 mg/l (48h) Daphnia magna

EC 50: 1000 mg/l (72h) Desmodesmus subspicatus

Literature information : in analogy; MSDS extern.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17					
	Acute fish toxicity	LC50 mg/l	> 10000	96 h	Alburnus alburnus	Publication (1979) OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 3,2	96 h	Pseudokirchneriella subcapitata	Study report (1997) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,008	48 h	Daphnia magna	Study report (1996) OECD Guideline 202
	Fish toxicity	NOEC	5,6 mg/l	60 d	Oncorhynchus mykiss	Study report (1983) OECD Guideline 204
	Crustacea toxicity	NOEC mg/l	0,01	21 d	Daphnia magna	Study report (1997) other: OECD Guideline 202
25322-69-4	Propane-1,2-diol, propoxylated					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio	ECHA Dossier
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Desmodesmus subspicatus	ECHA Dossier
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	ECHA Dossier
	Crustacea toxicity	NOEC	(10) mg/l	21 d	Daphnia magna	ECHA Dossier
115-10-6	dimethyl ether					
	Acute fish toxicity	LC50 mg/l	> 4100	96 h	Poecilia reticulata	ECHA Dossier NEN 6504 Water - Determination of
	Acute algae toxicity	ErC50 mg/l	154,917	96 h	green algae	ECHA Dossier Data generated using ECOSAR v1.00
	Acute crustacea toxicity	EC50 mg/l	> 4400	48 h	Daphnia magna	ECHA Dossier NEN6501: Water -Determination of
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane					
	Acute fish toxicity	LC50	(51) mg/l	96 h	Pimephales promelas	Study report (1985) Static bioassay: method not specified
	Acute algae toxicity	ErC50	(82) mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2004) OECD Guideline 201
	Acute crustacea toxicity	EC50	131 mg/l	48 h	Daphnia magna	Study report (1985) Static bioassay: method not specified
	Crustacea toxicity	NOEC	32 mg/l	21 d	Daphnia magna	Study report (1995) other: OECD Test Guideline 202
	Acute bacteria toxicity		(784 mg/l)	3 h	Activated sludge	Study report (1990) ISO 8192

##### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name
--------	---------------

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 13 of 18

	Method	Value	d	Source
	Evaluation			
9016-87-9	4,4'-methylenediphenyl diisocyanate, isomers and homologues			
	OECD 302	0%	28	
	Not easily bio-degradable (according to OECD-criteria).			
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17			
	OECD Guideline 301 D	5%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
25322-69-4	Propane-1,2-diol, propoxylated			
	OECD 301F / ISO 9408 / EEC 92/69/V, C.4-D	86,6%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			
115-10-6	dimethyl ether			
	OECD 301D / EEC 92/69 annex V, C.4-E	5%	28	ECHA Dossier
	Not easily bio-degradable (according to OECD-criteria).			
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane			
	EU-method C.4 -D	14%	28	ECHA Dossier
	Product is not easily biodegradable.			

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17	>= 4,7
25322-69-4	Propane-1,2-diol, propoxylated	-0,68 - 0,01
115-10-6	dimethyl ether	0,07
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane	2,68

#### BCF

CAS No	Chemical name	BCF	Species	Source
85535-85-9	alkanes, C14-17, chloro; chlorinated paraffins, C14-17	1087	Oncorhynchus mykiss	Study report (2000)
1244733-77-4	Reaction products of phosphoryl trichloride and 2-methyloxirane	0,8 - 2,8	Cyprinus carpio	Japan Chemical Indus

### 12.4. Mobility in soil

Reaction products of phosphoryl trichloride and 2-methyloxirane, Mobility/evaluation: Koc (20°C): 324,2

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 14 of 18

**List of Wastes Code - residues/unused products**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

**List of Wastes Code - used product**

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0  
Transport category: 2  
Tunnel restriction code: D

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS  
**14.3. Transport hazard class(es):** 2  
**14.4. Packing group:** -  
Hazard label: 2.1



Classification code: 5F  
Special Provisions: 190 327 344 625  
Limited quantity: 1 L  
Excepted quantity: E0

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1950  
**14.2. UN proper shipping name:** AEROSOLS

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 15 of 18

**14.3. Transport hazard class(es):**

2.1

**14.4. Packing group:**

-

Hazard label:

2.1



Marine pollutant:

NO

Special Provisions:

63, 190, 277, 327, 344, 381, 959

Limited quantity:

1000 mL

Excepted quantity:

E0

EmS:

F-D, S-U

**Air transport (ICAO-TI/IATA-DGR)****14.1. UN number or ID number:**

UN 1950

**14.2. UN proper shipping name:**

AEROSOLS, FLAMMABLE

**14.3. Transport hazard class(es):**

2.1

**14.4. Packing group:**

-

Hazard label:

2.1



Special Provisions:

A145 A167 A802

Limited quantity Passenger:

30 kg G

Passenger LQ:

Y203

Excepted quantity:

E0

IATA-packing instructions - Passenger:

203

IATA-max. quantity - Passenger:

75 kg

IATA-packing instructions - Cargo:

203

IATA-max. quantity - Cargo:

150 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:

No

**14.6. Special precautions for user**

Refer to section 6-8

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 56

2010/75/EU (VOC):

20,89 %

2004/42/EC (VOC):

201,33 kg/m<sup>3</sup> (201,33 g/L)Information according to 2012/18/EU  
(SEVESO III):

P3a FLAMMABLE AEROSOLS

**Additional information**

Aerosol directive (75/324/EEC)

UK REACH Appendix XVII, No (mixture): 3, 28, 40, 56

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## Safety Data Sheet

according to UK REACH Regulation

### Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml

Revision date: 02.08.2021

Product code: ZKR21LO

Page 16 of 18

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

dimethyl ether

Reaction products of phosphoryl trichloride and 2-methyloxirane

### SECTION 16: Other information

#### Changes

Rev. 1,00; 02.06.2014, Initial release

Rev. 1,01; 13.03.2015, Documentation of changes: chapter: 2, 3, 7, 11, 12, 16

Rev. 1.02; 02.06.2015, Documentation of changes: chapter: 2, 3, 8, 9, 11, 12, 13, 14, 15, 16.

Rev. 2,0; 28.05.2018, Changes in chapter: 1-16.

Rev. 3,0; 02.08.2021, Documentation of changes: chapter: 1 - 16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

**Safety Data Sheet**

according to UK REACH Regulation

**Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 17 of 18

SVHC: substance of very high concern  
TRGS: Technische Regeln für Gefahrstoffe  
UN: United Nations  
VOC: Volatile Organic Compounds

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Acute Tox. 4; H302	Bridging principle "Aerosols"
Acute Tox. 4; H332	Bridging principle "Aerosols"
Skin Irrit. 2; H315	Bridging principle "Aerosols"
Eye Irrit. 2; H319	Bridging principle "Aerosols"
Resp. Sens. 1; H334	Bridging principle "Aerosols"
Skin Sens. 1; H317	Bridging principle "Aerosols"
Carc. 2; H351	Calculation method
Lact.; H362	Calculation method
STOT SE 3; H335	Bridging principle "Aerosols"
STOT RE 2; H373	Bridging principle "Aerosols"
Aquatic Chronic 2; H411	Calculation method

**Relevant H and EUH statements (number and full text)**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H362	May cause harm to breast-fed children.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH204	Contains isocyanates. May produce an allergic reaction.

**Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:  
Health hazards: Calculation method.  
Environmental hazards: Calculation method.  
Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



## Safety Data Sheet

according to UK REACH Regulation

### **Brunnenschaum LORENCIC LO-WELL-FOAM 1K 750ml**

Revision date: 02.08.2021

Product code: ZKR21LO

Page 18 of 18

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*